



Elite[®] heat pumps come appointed with:

Precision-balanced, direct-drive fan to keep the noise low and the savings high

Reinforced with a PermaGuard™ cabinet for long-lasting protection against rust and corrosion

SmartHinge™ design for easy coil cleaning

Softer lines create an appliance-like appearance

Cabinets built using superior materials and proprietary designs make Lennox[®] units more durable, safer and easier to install

Dual-fuel compatible with Lennox furnaces for added cost savings

	High-Efficiency, Digitally-Enabled, Variable-Capacity Heat Pump EL22XPV	High-Efficiency, Variable-Capacity Heat Pump XP20	Mid-Efficiency, Digitally-Enabled, Variable-Capacity Heat Pump EL18XPV	Mid-Efficiency, Single-Stage Heat Pump EL17XP1	Mid-Efficiency, Single-Stage Heat Pump EL16XP1
Energy Efficiency	Up To 22.00 SEER2 9.00 HSPF2	Up To 20.00 SEER2 8.40 HSPF2	Up To 21.60 SEER2 8.70 HSPF2	Up To 17.00 SEER2 8.50 HSPF2	Up To 17.00 SEER 10.00 HSPF
Stages Of Cooling	Variable-Capacity Inverter Compressor	Variable-Capacity Inverter Compressor	Variable-Capacity Inverter Compressor	Single-Stage Compressor	Single-Stage Compressor
ENERGY STAR [®] Certified ⁶	Most Efficient 2022	Most Efficient 2022	✓	✓	✓
Sound Rating*	As Low As 61 dB	As Low As 65 dB	As Low As 61 dB	As Low As 71 dB	As Low As 71 dB
Quantum™ Coil	✓		✓	✓	✓
Removes Humidity From The Home	Highest Removal Rate	Highest Removal Rate	Highest Removal Rate	High Removal Rate	High Removal Rate
Digital-Ready Unit	✓		✓		
Digitally-Enabled Option	✓	✓	✓		
10-Year Limited Warranty On Compressor	✓	✓	✓	✓	✓
5-Year Limited Warranty On Covered Components ⁸	✓	✓	✓	✓	✓

Contact your local utility company to determine if there are available rebates.

www.lennox.com 1-800-9-LENNOX

* Equivalent to the sound of an average vacuum cleaner at 70 dB.

For a full list of product details and warranty information, visit Lennox.com/terms-and-conditions.

For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.

© 2023 Lennox Industries Inc. 19LN0076 03/23 (20B09)

Heating Seasonal Performance Factor (HSPF2)

A heating efficiency rating for heat pumps. A higher-rated HSPF2 heat pump will result in less energy use and increased energy savings over the life of the system.

Seasonal Energy Efficiency Ratio (SEER2)

This rating determines a heat pump's efficiency. The higher the SEER2 rating, the more energy-efficient it is.

Digital-Ready Unit

A unit that maximizes its efficiency with digital communication features when paired with the Lennox S40 or S30 Smart Thermostat and other digitally-enabled components. On its own, it's remarkably efficient, compact and quiet—and ready to step up to a fully digital system at any time.

ENERGY STAR[®] Certified

HVAC equipment with the ENERGY STAR label meets or exceeds federal guidelines for energy-efficient performance.

Dual-Fuel Compatibility

An HVAC system that pairs an electric heat pump with a gas furnace and alternates between the two fuel sources to maximize comfort and efficiency.

Quantum[™] Coil

Our exclusive coil is made from a proprietary aluminum alloy for improved resistance to corrosion, resulting in improved performance and energy savings.

Digitally-Enabled Option

A digitally-enabled product is designed to work with a Lennox Smart Thermostat as part of an advanced home comfort system. This is a truly digital product that offers unprecedented control, giving you the ability to more precisely maintain temperature, humidity, and air quality compared to older analog systems.

Warranty Your Way[™]

All Elite models come with a 10-Year Limited Warranty on compressors and a 5-Year Limited Warranty on covered components. A 10-Year Extended Limited Warranty is available with product registration. For more information, visit www.Lennox.com/WarrantyYourWay.

How does single-stage, two-stage & variable-capacity work?



72°

Single-Stage

Unit is either on or off, creating wide temperature swings.



72°

Two-Stage

Unit runs at either low or high speed, using the lower speed 80% of the time.



72°

Variable-Capacity

Unit runs at low most of the time, using only the amount of energy necessary to meet comfort need.

